

DEWALT

**POWER
SHIFT** ▶▶



**NO PETROL.
NO CORDS.
NO JOB TOO BIG. ▶▶**

GUARANTEED TOUGH.®

THE SHIFT IS HERE ▶

BREAK BOUNDARIES. CHARGE FORWARD.

Discover the new DEWALT POWERSHIFT™ Cordless Equipment System for epic performance and runtime. Don't wait to start, stop to refuel, or be limited by petrol a second longer. Put the power in your hands and TAKE CONTROL™ with DEWALT POWERSHIFT™.

554WH BATTERY

The 554Wh DEWALT POWERSHIFT™ Battery is the key to enabling the system. Delivering the power required to complete applications traditionally undertaken by petrol powered tools with no loss in performance and productivity and none of the hassles of petrol.



THE POWERSHIFT™ SYSTEM

POWERSHIFT™ CORDLESS POWER DELIVERY ▶



554WH BATTERY



550W CHARGER




XR FLEXVOLT® ADAPTOR

POWERSHIFT™ TOOLS FOR EVERY STAGE ▶



FOR PREPARATION



FOR PLACEMENT



FOR CORE & CUT



**89% OF END USERS ARE
CONFIDENT SITES ARE READY
TO GO FULLY ELECTRIC ▶▶**

READY FOR THE SHIFT



In accordance with the launch of DEWALT POWERSHIFT™, DEWALT surveyed* 2,000+ national construction industry decision-makers and skilled workers to understand the opportunities and challenges of electrifying jobsites.

PROS ARE READY FOR ELECTRIFICATION

ELECTRIC OUTPERFORMS PETROL

▶ **68%**

of construction employees who switched to electric-powered tools say they've allowed them to compete projects up to **2-3 times** faster than petrol-powered tools.


TRIED-AND-TRUE PERFORMANCE



72% of electric-powered tool users say they are either satisfied or very satisfied with their construction site's transition to electric-powered tools.

SUPERIOR RELIABILITY

59% of construction employees experienced more issues or breakdowns with petrol-powered tools, compared to **45%** for electric-powered tools



DEMOGRAPHICS: 2,002 survey respondents, 50% skilled workers, 50% employees in management who have roles in purchase decision-making

DEWALT partnered with strategic market research agency Atomik Research to conduct a survey of 2,002 full-time construction industry employees, including skilled workers and management. "Full-time construction employees" are defined as those who work in construction for 40 or more hours per week. The study was conducted between December 20, 2023 – January 4, 2024.




INCREASED EFFICIENCY

Construction employees and managers most frequently indicate they would like to see workflow improved on the construction site through:

- ▶ **49%** of managers } improved channels of communication between management and workers.
- ▶ **43%** of skilled workers }
- ▶ **46%** of managers — minimise time spent on tool/equipment maintenance.
- ▶ **42%** of skilled workers — more inter-compatibility between tools.

AVAILABILITY & EDUCATION GAPS




38% of construction workers cite a lack of availability of electric-powered tools for their work.




36% cite insufficient knowledge of the capabilities of electric tools as their primary reason for not using them.

SUSTAINABILITY'S IMPACT ON BIDDING



72% of employees say they have worked on a proposal for a bid that required consideration of sustainability regulations.



53% of employees have passed on a bid due to the inability to commit to sustainability regulations or lost a bid due to challenges with sustainability regulations.

WHY DEWALT POWERSHIFT™?

One of the most striking trends emerging in the industry is the adoption of cordless technology on construction sites. Cordless solutions are more than just a technological upgrade; they represent a fundamental shift in how construction operations are conducted. The global power tools market was valued at USD 31.08 billion in 2022 and is projected to grow at a CAGR* of 7.2% from 2023 to 2030. Cordless tools, in particular, are increasingly recognised for their role in enhancing safety, efficiency, and sustainability on job sites, thanks to their ease of use and elimination of external power sources.

Mark Woor, Brand Marketing Director for Europe, Middle East, Australia and New Zealand at Stanley Black & Decker, highlighted the progress in battery technology, stating, “We’ve seen significant adoption of battery technology in our more mature markets across Europe and North America, with over 90% of our sales to large contractors being cordless. As battery technology continues to improve year after year, we are at the forefront of electrifying the jobsite.” This shift towards cordless solutions demonstrates the industry’s commitment to advancing technological capabilities, driving both sustainability and operational efficiency in construction.”



While cordless tools are more environmentally friendly over their lifecycle, the upfront costs are higher. However, long-term cost analysis, such as the Total Cost of Ownership (TCO), suggests that while the initial investment is higher, cordless tools can result in up to 25% savings over five years due to lower maintenance and energy costs. Procurement Managers must carefully consider these long-term benefits against the short-term financial impact.

For Safety Managers, cordless technology addresses one of the most pervasive safety issues on construction sites—tripping hazards caused by cords and cables. According to the International Labour Organization (ILO), falls are among the leading causes of construction site injuries, and eliminating cords can significantly reduce these incidents.

For Project Managers and Procurement Managers, the shift towards cordless tools promises enhanced operational efficiency. Cordless tools are not just mobile; they offer increased flexibility and productivity by allowing workers to operate in areas without immediate access to traditional power sources. This flexibility is crucial in large-scale projects where quick adaptation to site conditions is necessary. Moreover, the reduction in setup and teardown times associated with cordless tools translates to faster project timelines and reduced labour costs.

Sustainability is no longer a peripheral concern; construction companies are committed to reducing carbon footprints and promoting green construction practices as part of their broader environmental goals. Cordless tools contribute to this by reducing energy consumption and emissions associated with construction activities. A study by the IVL Swedish Environmental Research Institute indicates that lithium-ion battery production, while having its own environmental footprint, results in significantly lower greenhouse gas emissions during the use phase compared to tools powered by fossil fuels or continuous grid electricity, as seen with corded tools.

*Compound Annual Growth Rate



NO PETROL. NO CORDS. NO JOB TOO BIG. ▶▶

Don't wait to start, stop to refuel, or be limited by petrol a second longer.
TAKE CONTROL with DEWALT POWERSHIFT™.



SHIFT TO ELECTRIFIED

As experts in battery and motor technology DEWALT POWERSHIFT™ offers an alternative to traditional petrol-powered solutions with no loss in performance or productivity.



SHIFT TO ZERO

DEWALT POWERSHIFT™ deliver zero emissions with no fumes and less noise offering you and your teams a more sustainable solution on the construction site.



SHIFT TO PRODUCTIVITY

No waiting for petrol, no stopping to refuel. DEWALT POWERSHIFT™ battery powered tools start at the push of a button which means no second guessing and require minimal servicing.



SHIFT TO A SYSTEM

The high-performance DEWALT POWERSHIFT™ battery enables a system of 6 tools from preparation to placement with more to come in the future.

**“WE DON’T HAVE
TO WORRY ABOUT
PETROL. WE DON’T
HAVE TO WORRY
ABOUT FUMES”**

FRED, GENERAL SUPERINTENDENT, BAKER CONCRETE

**“IT EXCEEDED MY
EXPECTATIONS”**

FRED, GENERAL SUPERINTENDENT, BAKER CONCRETE

**“CONCRETE
DON’T WAIT
FOR NO ONE”**

ROBERT, SUPERVISOR, NA MILLWRIGHT

**“WHAT SURPRISED
ME THE MOST
WAS THE POWER
THAT IT HAD”**

NICHOLAS, FORMAN, RUBY COLLINS

**“SAME AS A
PETROL-POWERED
RAMMER - THE
WAY IT RAN, HOW
HARD IT WAS
HITTING”**

MIKE, WAREHOUSE MANAGER, ACTION ELECTRIC COMPANY



DEWALT POWERSHIFT™ 554 WH BATTERY ▶▶

DCBPS0554

ERGONOMIC DESIGN

Large overmould handle with high capacity to weight ratio (554 Wh @ 5.3 kg)

GLASS-FILLED NYLON HOUSING

Durable and resistant to chemicals and corrosion, and is water and dust resistant

4 LED STATE OF CHARGE INDICATOR

Accuracy for user experience

HIGH VISIBILITY REFLECTIVE ZONES

For increased jobsite awareness



Don't wait to start, stop to refuel, or be limited by petrol a second longer. The high efficiency cells deliver higher power, cooler operating temperatures and longer runtime. The lightweight battery is housed in glass-filled nylon, and is water and dust resistant, providing durability in the toughest applications.

SPECIFICATIONS

WATT HOURS	554 Wh
WEIGHT	5.3 kg



DEWALT POWERSHIFT™ XR FLEXVOLT® ADAPTOR

DCAFVPS

The XR FLEXVOLT® Adaptor allows you to use your existing XR FLEXVOLT® batteries to power POWERSHIFT™ tools when required. Compatible with all XR FLEXVOLT® batteries, although we recommend a 15AH DCB549 to deliver the most power and runtime to your POWERSHIFT™ tools.



DEWALT POWERSHIFT™ 550 W CHARGER▶▶

DCBPS0550

**HIGH
VISIBILITY
REFLECTIVE
ZONES**
For increased
jobsite awareness

ERGONOMIC DESIGN
Large overmould handle

**2-STAGE
CHARGING**
One LED light for 80%
charge, two LED lights
for full charge

**ENHANCED
PORTABILITY**
Multiple gripping
positions,
cord wrapper,
TOUGHSYSTEM® 2.0
compatible

MOUNTABLE
Can be fixed to a wall
or other flat surface



The high performance dedicated POWERSHIFT™ charger will charge a POWERSHIFT™ 554WH Battery in 52 minutes. The LED indicators show 80% and 100% charge status. A built-in roll cage with carry handles add durability and it can be used and mounted horizontally and vertically as well as mounted to TOUGHSYSTEM® 2.0 for portability on the jobsite.

SPECIFICATIONS

INPUT	7.5 Amps
TOOL WEIGHT (BARE)	4.1 kg
TOUGHSYSTEM® 2.0 COMPATIBILITY	Yes
TIME FOR FULLY CHARGED	52 minutes*
TIME FOR 80% CHARGED	43 minutes*

*Based on charging the DCBPS0554 battery with DCPSC0550 charger.



DEWALT POWERSHIFT™ RAMMER▶▶

DCPS660



The DEWALT POWERSHIFT™ Rammer operates with a powerful sealed brushless motor that requires no maintenance and features a DEWALT® patented soft start for enhanced start-ups and intuitive control operations. The direct drive system and easy-to-use oil fill location and inspection point offer minimal servicing requirements. A built-in hook for lifting and craning and the optional wheel kit deliver enhanced portability on the toughest jobsites.

SPECIFICATIONS

TOOL CLASS	60 Kg
CENTRIFUGAL FORCE	Low - 9.5 kN High - 11.5 kN
MAX FORWARD TRAVEL SPEED	15 m/min
MAX COVERAGE AREA	228 m per charge*
SPEED SETTINGS	2 Speeds
WEIGHT (TOOL ONLY)	65 kg

*With DCBPS0554

RAMMER WHEEL KIT

AF-O-VRT-0042D-004
(Sold separately)



DEWALT POWERSHIFT™ PLATE COMPACTOR ▶▶

DCPS7154

POWERED BY
DEWALT POWERSHIFT™
BATTERY

11 LITRE
WATER TANK
Removable water tank and
gravity feed sprinkler included

MAINTENANCE
-FREE BRUSHLESS
MOTOR

MAINTENANCE-FREE
ECCENTRIC MASS
Provides 100 Hz of
vibration & 15 kN of force.

DEDICATED
LIFT POINT
Integrated into roll
cage for lifting and
transporting plate
with machinery

HANDLE MOUNTED
CONTROLS
Allows user to activate and
deactivate without releasing
the handle

ERGONOMICALLY
DESIGNED FOLDING
HANDLE
Ergonomically designed handle
for user comfort. Folds for
transport and can be used in
locked or unlocked position

INTEGRATED
WHEEL KIT
Wheel kit comes as
standard feature

DURABLE
400 MM STEEL PLATE
Features front and rear curvatures
for maximum coverage

The DEWALT POWERSHIFT™ Plate Compactor operates with a powerful sealed brushless motor that requires no maintenance, and its handles have been ergonomically designed to help reduce vibration during long compaction cycles. These foldable handles feature highly intuitive controls including 2 speed settings which allow for precise compaction in various types of soil. A 12 litre gravity-fed water tank helps prevent dust and reduces stick on asphalt, and an integrated retractable wheel kit provides portability on the toughest jobsites.

SPECIFICATIONS	
MAX CENTRIFUGAL FORCE	High: 15 kN Low: 10 kN
MAX VIBRATION FREQUENCY	High: 6,000 VPM Low: 4,920 VPM
MAX FORWARD TRAVEL SPEED	High: 28 m/min Low: 22 m/min
MAX COVERAGE PER BATTERY CHARGE	244 m²
HAND ARM VIBRATION	1.5 m/s²
WORKING SURFACE	Full: 2200 m²/h Low: 1732 m²/h
SURFACE PRESSURE	Full: 15.5 PSI Low: 10.3 PSI
MACHINE L x W x H	70 x 40 x 67 cm
HANDLE HEIGHT x WIDTH	89 x 36 mm
BASE PLATE LENGTH x WIDTH	56 x 40 cm
GRADEABILITY	30%
MAX INCLINE	20°
SPEED SETTINGS	2
WEIGHT (TOOL ONLY)	94 kg

POWERSHIFT™ RUBBER MAT

AF-O-VPF-0022D-012
(Sold separately)



DEWALT POWERSHIFT™ POWERPACK VIBRATOR ▶

DCPS310



This battery powered Backpack Vibrator delivers petrol equivalent performance with zero emissions. The one-handed, self-ejecting hose fitment is tool-free to make use with gloves easy and delivers protection against dirt ingress. The high frequency hoses (sold separately) are engineered with the motor in the head to reduce the diameter which helps to deliver increased runtime, less vibration, enhanced durability, and requires no maintenance. The fully adjustable harness offers enhanced ergonomics and has shoulder strap mounted controls with low battery indicator. The built-in roll cage offers multiple grab positions and helps to protect the battery for enhanced durability on the toughest jobsites.

SPECIFICATIONS	
MAX VPM	12,000 (no load)
HEAD SIZES	38, 50, 59 mm
SHAFT LENGTHS	2 & 5 m
WEIGHT (TOOL ONLY)	6.5 kg



DEWALT POWERSHIFT™ POWERPACK VIBRATOR ▶

DCPS320



**WIRELESS TOOL
CONTROL REMOTE
(FOB INCLUDED)**
Allows user to activate the tool
remotely, up to 9 m

**QUICK-CHANGE
CONNECTION**
Allows users to simply push in the
desired hose and twist the collar
to remove

**POWERED BY DEWALT
POWERSHIFT™ BATTERY**

**DURABLE ROLL
CAGE**
Designed to withstand
jobsite conditions

POWER SWITCH
Select between on/off or
wireless tool control

**LOW CHARGE
INDICATOR LIGHT**

**CARRY HARNESS
CONNECTIONS**
Allows user to connect
provided strap for
easy transport



SPECIFICATIONS

MAX VPM	12,000 VPM
HEAD SIZES	38, 50, 59 mm
SHAFT LENGTHS	2 & 5 m
WEIGHT (TOOL ONLY)	4.5 kg

This battery powered Powerpack Vibrator delivers petrol equivalent performance with zero emissions. The one-handed, self-ejecting hose fitment is tool-free to make use with gloves easy and delivers protection against dirt ingress. The high frequency hoses (sold separately) are engineered with the motor in the head to reduce the diameter which also helps to deliver increased runtime, less vibration, enhanced durability and no maintenance. Wireless Tool Control means the vibrator can be remotely activated for ease-of-use with longer hoses. The built-in roll cage offers multiple grab positions and helps to protect the battery for enhanced durability on the toughest jobsites.



VIBRATOR SELECTION GUIDE

Flatwork



DCPS310
DEWALT POWERSHIFT™
Backpack Vibrator


Structural/Vertical



DCPS320
DEWALT POWERSHIFT™
Powerpack Vibrator

No Head Size Limitations.
Full Range Of Heads & Hoses Can Be Used On Either Vibrator.


Model Number	Hose Length [m]	Head Diameter [mm]	Radius of Action [mm]	1.5x Radius of Action [mm]	Amplitude (Centerline to Side) [mm]	Centrifugal Force [kN]	Compaction Rate [m2/hr.]
DCPS3382	2	38	150	225	47.5	1.7	23
DCPS3385	5						
DCPS3502	2	50	280	420	46	3.1	30
DCPS3505	5						
DCPS3592	2	59	330	495	44	4.6	32
DCPS3595	5						



R: Radius of Action
X: Insertion Spacing = 1.5x Radius of Action


Head Diameter [mm]	Radius of Action [mm]	1.5x Radius of Action [mm]
38	150	225
50	280	420
59	330	495

1.5x Radius Of Action And Proper Insertion



DEWALT POWERSHIFT™ POWER SCREED ▶▶

DCPS330



This battery powered screed delivers petrol equivalent performance with the power to break a fresh cold joint and zero emissions. The one handed, one wrench beam attachment is compatible with all common L-Shape and Box Beams (Sold separately). The tool free height adjustment and fully adjustable handles offer enhanced ergonomics and the variable speed trigger with lock on allows the user to adapt to the concrete condition. The built in kickstand means the screed can be stored on the jobsite without exposing the controls to wet concrete.

SPECIFICATIONS	
VPM	0 - 7,800
MAX COVERAGE PER BATTERY CHARGE	1,000 m ²
WEIGHT (TOOL ONLY)	12.7 kg



DEWALT POWERSHIFT™ CORE DRILL STAND ▶▶

DCPS151



SPECIFICATIONS	
BATTERY SYSTEM	DEWALT POWERSHIFT™
MAX CAPACITY - STAND	162 mm
ANGULAR CORING	-15° to +45°
FIXATION METHOD	Anchor, Vacuum
WATER FLOW CONTROL VALVE	Integrated
BASE PLATE DIMENSION	508 x 254 mm
WEIGHT (STAND ONLY)	20.3 kg

RELATED PRODUCTS

DCD150
54V XR FLEXVOLT® CORE DRILL



DCE6820N
18V XR WATER TANK



DCH333
54V XR FLEXVOLT® 30MM SDS-PLUS HAMMER DRILL





WARRANTY & SERVICING

DEWALT is confident of the quality of its products and offers an outstanding guarantee for professional users of the product.

3 YEAR WARRANTY ON POWERSHIFT™ TOOLS*

1 Year Standard Warranty with an additional 2 years when registered within 28 days of purchase.

2 YEAR WARRANTY ON POWERSHIFT™ BATTERIES & CHARGERS*

1 Year Standard Warranty with an additional 1 year when registered within 28 days of purchase.



DEWALT SERVICE

DEWALT POWERSHIFT™ tools require minimal servicing versus petrol powered tools but should you require support our dedicated service network is here to help and keep you and your team working.

CONVENIENCE

At the heart of the DEWALT 5 Star Service are the 5 Star Service Agents, which are conveniently located throughout the country, with specialists available to answer any questions whether you are on or off the job site.

SPEED

Having your tools back in action in the fastest time possible is our prime objective. Subject to parts availability, repairs should take no more than 48 hours.

QUALITY

The technicians that carry out the repairs are trained by the DEWALT Service training team, and all work is backed by a 90 day warranty. Each DEWALT repair comes with our personal “satisfaction tag” listing all the work done, and a DEWALT contact number should you be less than 100% happy with the repair.

GENUINE PARTS

All parts used in repairs are genuine DEWALT parts, ensuring the highest quality.



JOIN THE SHIFT ▶▶

SEEING IS BELIEVING

Get in touch with a local expert for more information on the DEWALT POWERSHIFT™ System and to inquire about experiencing the epic performance for yourself.

WWW.DEWALT.COM.AU



DEWALT

**POWER
SHIFT**

**BREAK BOUNDARIES.
CHARGE FORWARD.**



FIND OUT MORE



GUARANTEED TOUGH.®