

DEWALT**POWER
SHIFT**

COMPLETE CHALLENGING CORING JOBS

with the DCD150 54V XR FLEXVOLT® Core Drill Kit featuring an epic power-to-weight ratio. With the ANTI-ROTATION® system, 3-speed gear selector, and close wall or ceiling clearance, this core drilling system helps create clean, tight pass-throughs for pipes.

The DEWALT POWERSHIFT™ Core Drill Stand features removable wheels and a slim base to easily access tight spaces. Together, the 54V XR FLEXVOLT® Core Drill and the DEWALT POWERSHIFT™ Core Drill Stand provide the ultimate solution for tough coring applications.

**NO PETROL.
NO CORDS.
NO JOB
TOO BIG.**

**PERFORM
PROTECT**

ANTI-ROTATION SYSTEM

Helps minimise sudden torque reaction by detecting the motion of the tool and shutting it down in bind-up situations.

**DEWALT POWERSHIFT™
CORING SOLUTIONS**

GUARANTEED TOUGH.®

DCD150 / DCPS151

54V XR FLEXVOLT® CORE DRILL

DCD150

 **WIRELESS
TOOL CONTROL**

WIRELESS TOOL CONTROL

Tool activated remote control for water management. Allows the tool to wirelessly communicate with the DCE6820N 18V XR water tank (sold separately)

ELECTRONIC OVERLOAD WARNING & ANTI-ROTATION LED

Illuminates when the anti-rotation system is engaged or when the tool is being pushed too hard

LOCK-ON SWITCH

Turn on the core drill and go – no need to hold down the trigger for the entirety of the application. To be used for stand-mounted core drilling only

ERGONOMICALLY DESIGNED BACK HANDLE

Maximises comfort during handheld coring applications

**POWERED BY DEWALT
XR FLEXVOLT®**
Battery not included

54V XR FLEXVOLT

3-SPEED GEAR SELECTOR

3 RPM options for optimised performance based on core bit size

162 MM CORING CAPACITY*

Able to core up to 100 mm when used handheld

*When mounted to DCPS151

360° SIDE HANDLE WITH INTEGRATED WATER CONNECTION

Removable and rotatable side handle for enhanced control over the tool during handheld coring applications

WATER CONNECTION POINT

For wet core drilling applications

SPECIFICATIONS

BATTERY SYSTEM	54V XR FLEXVOLT®
SPINDLE THREAD OUTER DIAMETER	1-1/4"
SMALL DIAMETER ADAPTOR	G 1/2"
SPEED SETTINGS	3 Speeds
MAX CAPACITY	Handheld - 100 mm With DCPS151 - 162 mm
PERFORM & PROTECT™	ANTI-ROTATION
WIRELESS TOOL CONTROL	Yes
WEIGHT (TOOL ONLY)	5.5 kg



Copyright ©2025 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the “D”-shaped air intake grille; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.


ICDCD150SS

GUARANTEED TOUGH.®

www.DEWALT.com.au

DEWALT POWERSHIFT™ CORE DRILL STAND▶▶

DCPS151



3

2

3 YEAR WARRANTY ON TOOLS*

2 YEAR WARRANTY ON BATTERIES & CHARGERS*

*REQUIRES REGISTRATION WITHIN 30 DAYS OF PURCHASE. T&C'S APPLY.

SPECIFICATIONS	
BATTERY SYSTEM	DEWALT POWERSHIFT™
MAX CAPACITY - STAND	162 mm
ANGULAR CORING	-15° to +45°
FIXATION METHOD	Anchor, Vacuum
WATER FLOW CONTROL VALVE	Integrated
BASE PLATE DIMENSION	508 x 254 mm
WEIGHT (STAND ONLY)	20.3 kg

Copyright ©2025 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the “D”-shaped air intake grille; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

RELATED PRODUCTS

DCBPS0554

POWERSHIFT™
554 Wh Battery



DCBPSC0550

POWERSHIFT™
550 W Charger



DCAFVPS

POWERSHIFT™
XR FLEXVOLT®
Adaptor



DCE6820N

18V XR
Water Tank



DCD150

54V XR FLEXVOLT®
Core Drill





ICDCD150SS

GUARANTEED TOUGH.®

www.DEWALT.com.au